

169293

Welcome to MESSENGER (APS Text) at USPTO

The USPTO production files are current through:
27 FEB 1996 for U.S. Patent Text Data.
27 FEB 1996 for U.S. Current Classification data.
27 FEB 1996 for U.S. Patent Image Data.

* PLEASE USE 305-9000 FOR NEW TELEPHONE NUMBER *

DISCLAIMER:

* Neither the United States Government, nor any agency
* thereof, nor any of their contractors, subcontractors or
* employees make any warranty, expressed or implied,
* including any warranty of marketability or fitness for a
* particular purpose; nor assumes any legal liability or
* responsibility for any party's use, or the results of
* such, of the data.

Help Desk --> 703-305-9000

The Help Desk is staffed for APS support 7 days/week.
Monday through Friday: 6:30am - 9:00pm
Saturday, Sunday, Holidays: 8:30am - 5:00 pm

The Help Desk staff at this number will handle all APS related questions.

>>>>>>>>>>>>> NEW SUNDAY HOURS !!! <<<<<<<<<<

The APS is available:

6:30am - 9:00pm Monday through Friday
7:30am - 5:00pm Saturday, Sunday, Holidays

APS is unavailable Thanksgiving Day, Christmas Day, and New Year's Day.

FILE 'USPAT' ENTERED AT 10:07:25 ON 04 MAR 96

W E L C O M E T O T H E

U. S. PATENT TEXT FILE

=> s dmdp

L1 18 DMDP

=> s 11 and macrophage?

3614 MACROPHAGE?

L2 O L1 AND MACROPHAGE?

=> s immune (w) response?

18285 IMMUNE
447227 RESPONSE?

L3 3962 IMMUNE (W) RESPONSE?
=> s 13 and macrophage?
3614 MACROPHAGE?
L4 1085 L3 AND MACROPHAGE?
=> s 14 and inactivate?
16969 INACTIVATE?
L5 404 L4 AND INACTIVATE?
=> s 15 and dmdp
18 DMDP
L6 0 L5 AND DMDP
=> s 15 and dichloromethylene (w) diphosphonate
218 DICHLOROMETHYLENE
850 DIPHOSPHONATE
11 DICHLOROMETHYLENE (W) DIPHOSPHONATE
L7 0 L5 AND DICHLOROMETHYLENE (W) DIPHOSPHONATE
=> s macrophage? and dichloromethylene (w) diphosphonate
3614 MACROPHAGE?
218 DICHLOROMETHYLENE
850 DIPHOSPHONATE
11 DICHLOROMETHYLENE (W) DIPHOSPHONATE
L8 2 MACROPHAGE? AND DICHLOROMETHYLENE (W) DIPHOSPHONATE
=> d 18 1-2 cit,ab

1. 5,360,797, Nov. 1, 1994, Bisphosphonic acid derivatives useful as anti-arthritis agents; Roy A. Johnson, et al., 514/111, 102, 103, 104, 107, 110 [IMAGE AVAILABLE]

US PAT NO: 5,360,797 [IMAGE AVAILABLE]

L8: 1 of 2

ABSTRACT:

Novel acids, esters, and salts of phenyl, naphthyl, quinoxaliny1, and biphenyl bisphosphonic acids and 1,2-oxaphosphepins are described. These compounds are useful as antiinflammatory and anti-arthritis agents. Also described are known compounds of the phenyl, naphthyl, quinoxaliny1, and biphenyl bisphosphonate classes which are also useful as antiinflammatory and anti-arthritis agents. Representative compounds include [1,2-phenyldiyl]bis(methylene)bisphosphonic acid tetramethyl ester, [2,3-quinoxalindiyl]bis(methylene)bisphosphonic acid tetramethyl ester, [[3-(propyl)-4-(methoxy)-1,8-naphthalenediyl]bis(methylene)]bisphosphonic acid tetramethyl ester, [2,6-naphthalenediyl]bis(methylene)bisphosphonic acid tetraethyl ester, and [2,2'-biphenylenebis(methyl)]bisphosphonic acid tetramethyl ester. Representative oxaphosphepins include the preferred 3,4-dihydro-3-methoxy-7-(phenylmethoxy)-1H-naphth[1,8de][1,2]oxaphosphepin-3-oxide.

2. 5,298,498, Mar. 29, 1994, Phosphonic acid derivatives useful as anti-inflammatory agents; Roy A. Johnson, et al., 514/111; 558/82 [IMAGE AVAILABLE]

US PAT NO: 5,298,498 [IMAGE AVAILABLE]

L8: 2 of 2

ABSTRACT:

Novel acids, esters, and salts of phenyl, naphthyl, quinoxaliny1, and biphenyl bisphosphonic acids and 1,2-oxaphosphepins are described. These compounds are useful as antiinflammatory and anti-arthritis agents. Also described are known compounds of the phenyl, naphthyl, quinoxaliny1, and biphenyl bisphosphonate classes which are also useful as antiinflammatory and anti-arthritis agents. Representative compounds include

[1,2-phenyldiy1]bis (methylene)bisphosphonic acid tetramethyl ester,
[2,3-quinoxalindiyl]bis(methylene)bisphosphonic acid tetramethyl ester,
[[3-(propyl)-4-(methoxy)-1,8-naphthalenediyl]bis(methylene)]bisphosphonic
acid tetramethyl ester, [2,6-naphthalenediylbis(methylene) bisphosphonic
acid tetraethyl ester, and [2,2'-biphenylenebis(methyl)]bisphosphonic
acid tetramethyl ester. Representative oxaphosphepins include the
preferred 3,4-dihydro-3-methoxy -7-(phenylmethoxy)-1H-
naphth[1,8de][1,2]oxaphosphepin-3-oxide.

=> e chen, ben/in

E1	1	CHEN, BEAN T/IN
E2	1	CHEN, BEI H/IN
E3	3	--> CHEN, BEN/IN
E4	2	CHEN, BEN W/IN
E5	1	CHEN, BENJAMIN/IN
E6	3	CHEN, BENJAMIN S/IN
E7	2	CHEN, BENJAMIN T/IN
E8	1	CHEN, BENJAMIN Y H/IN
E9	1	CHEN, BERTHA L/IN
E10	1	CHEN, BI XIAN/IN
E11	2	CHEN, BIAO/IN
E12	1	CHEN, BIBIANA S Y/IN

=> e wiessman, irving/in

E1	1	WIESSE, JOACHIM/IN
E2	2	WIESSLER, HANS/IN
E3	0	--> WIESSMAN, IRVING/IN
E4	9	WIESSNER, EDGAR/IN
E5	5	WIESSNER, EDWARD E/IN
E6	2	WIESSNER, FRANK/IN
E7	4	WIESSNER, MANFRED/IN
E8	1	WIESSNER, MARTIN G/IN
E9	1	WIESSNER, MARTIN GERALD/IN
E10	1	WIESSNER, WERNER/IN
E11	8	WIESSNER, WILLI/IN
E12	1	WIESSPEINER, GERHARD/IN

=>